549

THE SCIENCE, POLITICS AND ECONOMICS OF GLOBAL CLIMATE CHANGE: IMPLICATIONS FOR THE PLANTATION AND FORESTRY SECTORS

James Jacob**

Introduction

Global climate change, considered to be one of the most serious threats to the global environment has been at the center of scientific and political debate in the recent years. Today, more than at any time in the past, there is an almost unanimous consensus among scientists, politicians, policy makers, administrators and the common people alike that climate has changed and that it is still changing. Global climate change, more precisely global warming, is a reality[1, 2] (Table 1), but there are considerable uncertainties existing about the extent of warming[3], the resultant meltdown of the artic snow cap, rise in sea levels, changes in the cloud formation and rainfall pattern *etc.* There is an increasing concern that our planet is becoming more and more an unpleasant place for human habitation and that human interference with the world's fragile climate system may trigger run away global warming that cannot be reversed.

According to Sir David King, Chief Scientific Advisor to the British Prime Minister "climate change is a greater threat to the world than terrorism is. Delaying action for a decade or even just years is not a serious option". Mr. Donald Kennedy, Editor in Chief, Science has categorically stated, "there is no dispute that the temperature will rise". The disagreement is only on how much the warming will be. There is a real potential for sudden and perhaps catastrophic changes that cannot be reversed. The US National Academy of Sciences has stated that global warming may be the most pressing international issue of the 21st century. The adverse effects of climate change on natural resources, food supply, human health and national economy have already started to appear. The poor countries and the economically weaker sections of the societies will bear much of the brunt of climate change.

It's a known fact that poverty breeds pollution and environmental degradation, which in turn aggravates poverty. But affluence too has had contributed towards the present poor state of the planet's health through over-consumption of energy and resources. The average per-capita gasoline consumption in the US during 1997 was 1.26 gallons/person/day[4] contributing to a large per-capita CO_2 emission of 5.3 metric tons of C/person/year as compared to roughly 0.3 metric ton of C/person/year in India (Table 2). Similarly, in terms of consumption of commercial energy or even food, the rich countries are far above the poor countries. For example, the mean commercial energy consumption in the US during 1997 was about 350 GJ/person/year whereas this was as low as about 13 GJ/person/year in India (Table 3). The annual per-capita consumption of meat comes to about 123 kg/person/year in the US while this is a meager 3.4 kg/person/year in India (Table 4). It may be noted that on an average it takes about 1790 liters of water to produce 1kg of wheat compared to 9680 liters to produce 1Kg of beef. Thus the rich countries consume more resources and energy than the poorer nations of the world where bulk of the world's population lives.

THE SCIENCE OF GLOBAL CLIMATE CHANGE

Consumption of resources and energy results in the generation of various by-products that interfere with the environment. Climate change is largely a man-made problem, mostly by the rich industrialized countries that polluted the earth's atmosphere in the name of industrialization and development, which resulted in the release of large amounts of the so-called green house gases (GHGs) into the atmosphere. They are CO_2, methane, nitrous

oxide, hydrofluoro carbon, perfluro carbon and sulphur hexafluoride. The major anthropogenic activities that have contributed to increased concentrations of GHGs, chlorofuoro carbons (CFCs) and other ozone-depleting substances in the atmosphere are fossil fuel burning, cement manufacturing and changes in land use pattern, especially, deforestation[1]. The peculiar chemistry of GHGs and CFCs is responsible for global warming, penetration of harmful radiation to the earth surface etc.

Green house gases are very important for human survival on this planet. Their presence in the atmosphere at the right levels ensures that the planet is maintained at a temperature of +14^{0}C, warm enough for life to exist. Without the GHGs, the mean temperature of the planet will be only -17^{0}C. The problem of GHG-forced climate change occurs when the GHG concentrations in the atmosphere increase to such a high level that the warming they cause is too severe to interfere with the planet's sensitive climate system[1].

The rising concentration of CO_2 in the atmosphere, which has perhaps contributed the most to global warming, requires special mention. For several thousands of years prior to the industrial revolution, its concentration in the atmosphere remained around 270 ppm. Between 1850 and 1998, the gross emission of CO_2 into the atmosphere has been about 405 Pg[5], sufficient to raise its concentration in the atmosphere by about 190 ppm. Today, the atmospheric CO_2 concentration is around 372 ppm[6]. Out of the approximately 100 ppm rise in the CO_2 concentration in the atmosphere that has occurred between 1850-1998 (roughly @ 0.67 ppm/year), almost 60 ppm rise has occurred in the second half of the 20th century alone suggesting a higher rate of CO_2 buildup in the atmosphere (@1.2 ppm/year) during this period.

The 1980s and 1990s saw even greater rate of increase in the atmospheric CO_2 concentration[7,8], largely due to increased fossil fuel combustion and cement manufacturing which together released roughly 5.4 Pg C/year in the 1980s and 6.3 Pg C/year in the 1990s. During this period, land use change, mostly deforestation and conversion of pastures into agricultural lands released nearly 1.6 Pg C/year. Estimates show that after accounting for terrestrial and aquatic sequestration, a net amount of about 3.3 Pg C was stored in the atmosphere every year (equivalent to an increase of nearly 1.6 ppm CO_2/year) during the 1980s and 1990s[7,8]. Thus, the anthropogenic addition of CO_2 into the atmosphere has been increasing at an increasing rate, which is alarming.

Given that close to 90% of the world commercial energy production is from fossil-based fuels[4] (Table 5) the above trend is likely to continue. The continued large dependence on fossil-based fuels coupled with increased rate of deforestration still occurring in many parts of the world will further increase the concentration of CO_2 in the atmosphere unless effective mitigation efforts are taken. It is indicated that at the present rate of CO_2 emission, its concentration in the atmosphere would go up to 800-1000 ppm by the turn of the 21st current century if no efforts are made to reduce emission and increase its sequestration from the atmosphere. Since 1970, the mean global temperature has gone up by more than 0.5 ^{0}C (Table 1) which is extremely significant at the global scale[2].

One direct consequence of global warming is melting of the polar ice caps that results in rising sea levels. During the 20th century, the average sea level has risen by 0.1 to 0.2 meters[1]. Since the 1960s the polar snow cover has decreased by 10% and it is generally expected that the mean sea level will rise by another 0.09 to 0.88 meters in another century[1]. Of late, extreme climatic events such as floods, droughts and wild fires have been occurring with greater frequency in many parts of the world. The hottest year since instrumental data collection began in the late 1800s was 2002, followed by 1988 and 2001[2]. When the earth's climate gets warmer and droughts occur in places like the Amazon forests, the risk of the huge amounts of carbon stored in the forest biomass getting released into the atmosphere due to uncontrollable wild fires is a significant threat. Fire is a real and constant

threat to the Amazon and other tropical forests in the world that store as much as 40% of the carbon contained in terrestrial vegetation[9-11]. Run away wild fires in the major biomes of the world, particularly those in the dry vulnerable tropics have the potential to create sudden and catastrophic environmental consequences that cannot be reversed.

A doubling of the atmospheric CO_2 concentration could raise the mean temperature of the earth's surface by 1.5 to 4.5°C, but due the uncertainties in the estimates, this could be lower than 1.5°C or higher than 4.5°C[3]. To keep global warming to less than 2°C, we need to limit CO_2 to below 550 ppm in the atmosphere, which is roughly twice the pre-industrial level. The vulnerability of the earth's climate system, on which the entire living world so closely depends, to human interference cannot be ignored any longer[1]. The prevailing uncertainties about climate change and its consequences are sufficient reasons to take appropriate steps to limit the emission of GHGs and stabilize their concentrations in the atmosphere sooner than later.

Global climate change negotiations and the genesis of the Kyoto Protocol

Until the 1980s, international debates on global climate change have been largely confined to the domains of scientists, naturalists and environmental activists. During the 1980s, issues related to global warming and other aspects of global climate change started to take a central place in international political, diplomatic, trade and economic circles. A brief summary of some of the major milestones in international global climate change negotiations is given in Table 6. The adoptions of the Vienna Convention for the Protection of the Ozone Layer in 1985 and the Montreal Protocol on Substances that Deplete the Ozone Layer in 1987 with the objective to phase out CFC's and other stratospheric ozone-depleting substances were perhaps the first most tangible achievements of climate-related international negotiations. The establishment of the Intergovernmental Panel on Climate Change (IPCC) in 1988, jointly by the World Mateorological Organization and the UNEP was an important step that reflected the concerns of the international community for global climate change. The aim of the IPCC is to look into the issues related to the causes and preventive measures for global climate change. In May 1992 international climate change negotiators agreed to the United Nations Framework Convention on Climate Change (UNFCCC), which was signed at the Earth Summit held at Rio de Janeiro in June 1992[12]. The Convention entered into force with its ratification by the 50th country in March 1994. The objective of the Convention as outlined in Article 2 of the UNFCCC is "stabilization of green house gas concentrations in the atmosphere at a level that would prevent dangerous anthropogenic interference with the climate system". The Convention has about 190 countries as its signatories including India. The industrialized countries and economies in transition to open market (EIT) listed in the Annex I to the UNFCCC (called Annex I countries) agreed, *albeit* non legally, to reduce their respective GHG emissions to their 1990 levels by 2000, but this never happened.

Three years after adopting the Convention, at the 3rd Conference of Parties (CoP-3) to the UNFCCC held during 1997 in Kyoto, Japan a Protocol to the UNFCCC was approved. This has been a landmark achievement in the international climate change negotiations. Unlike the UNFCCC, the Kyoto Protocol fixes (Article 3) legally binding quantified emissions limitation and reduction commitments (QELRCs) for GHG emissions by the developed countries (Annex I countries) between 2008-2012, the first commitment period of the Protocol. Under the Kyoto Protocol, the Annex I countries are required to reduce their collective CO_2 emissions to at least 5.2% below their 1990 emission levels by 2012. Recognizing the need for the developing and the least developed countries (called non-Annex I countries) to have more industries for their development, the Protocol does not bind these countries by any emission reduction targets during the first commitment period.

The emission reduction targets of the Annex I countries would become legally binding

when the Kyoto Protocol entered into force. The Kyoto Protocol will enter into force 90 days after the UN have received the instruments of ratification, acceptance, approval or accession by 55 parties of the UNFCCC, including sufficient number of countries from the Annex I block whose combined emission of CO_2 exceeded 55% of the total emission of CO_2 by the entire Annex I parties as of 1990. As of September 2004, 127 countries accounting for 44.2% CO_2 emission of Annex I countries had ratified the Protocol. With Russia ratifying the Protocol in October 2004, this has now gone up to 128 countries representing about 61.6% of the Annex I GHG emission (as of November 18, 2004) and the Protocol is now certain to enter into force on February 16, 2005.

From a scientific, environmental, political, legal and economic perspective the negotiation of the Kyoto Protocol is certainly a landmark international treaty. The science of climate change has been appreciated by almost the entire international political community whose concerns for the environment have been translated into a legally binding international treaty that caps the developed countries, but not the developing and the least developed countries with GHG emission reduction targets. But there has been too much politics that impaired the Protocol's effective entry into force.

THE POLITICS OF GLOBAL CLIMATE CHANGE

Between its adoption in 1997 and the recent Russian ratification, the Kyoto Protocol has gone through some rough waters threatening its very survival. During CoP-4 held in Buenos Aires in November 1998, a plan of action called the Buenos Aires Plan of Action (BAPA) was adopted to strengthen the implementation of the UNFCCC and prepare for the Protocol's entry into force. BAPA fixed CoP-6 as the deadline to sort out the issues in the way of the Kyoto Protocol entering into force. But CoP-6 held in the Hague during November 2000 had to be suspended due to serious disagreements among the countries over the Protocol, especially between the EU and the US. Bilateral consultations followed to sort out the issues, but the US pulled out of the Kyoto Protocol during March 2001 soon after George Bush, the new US President took over. However the rest of the world lead by the EU countries, Japan and others made a consorted effort to proceed even without the US participation. The suspended CoP-6 was reconvened in July 2001 in Bonn, Germany and a political agreement on most of the core issues of BAPA was achieved with the US keeping out of the Kyoto process.

As far as the US is concerned the administration of President Bush will not ratify the Kyoto Protocol, which was originally negotiated by the Clinton administration, that had a more pro-green image. UNFCCC takes the position that "where there are threats of serious or irreversible damage (to the world's climate), lack of full scientific certainty should not be used as a reason postponing such measures to reduce the concentration of GHGs in the atmosphere". However President Bush is of the view that emission targets established by the Kyoto Protocol "were arbitrary and not based on science" and that "no one can say with any certainty what constitutes a dangerous level of warming and therefore what level must be avoided". According to the Bush administration, the Kyoto Protocol is "fatally flawed in fundamental ways". The world expected a much more environmentally sensitive approach from the President of the most powerful and the richest country, which is also the largest CO_2 emitter in the world. With about 4% of the world population living in the US, they contribute more than 20% of the world CO_2 emission and 36% of the Annex I block. President Bush argues that CO_2 is not a "pollutant" under the US Clean Air Act. According to an August 2004 report to the US Congress, "federal research indicates that emissions of carbon dioxide and other GHGs are the only likely explanation for global warming over the last three decades".

President Bush is opposed to the developing and the least developed world getting

exemption from any emission restrictions and not prepared to share the burden of compliance arguing that such a compliance would adversely affect the US economy. The views and position of the present US administration on climate change in general and Kyoto Protocol in particular are contrary to the accepted wisdom of most nations in the entire world. Although the federal government in the United States has a different view on this matter, several states in the US have unilaterally adopted their own measures to restrict GHG emission. However, none of these efforts will come under the preview of the market mechanisms under the Kyoto Protocol since the US is not party to the Protocol.

With the US pulling out of the Kyoto mechanism and Russia not ratifying it until October 2004, there were serious doubts about the future of Kyoto Protocol. With a CO_2 emission that accounted for 36.1% and 17.4% among the Annex I block by the US and Russia, respectively (Table 2), ratification by at least one of these two countries was needed to reach the required 55% CO_2 emission mark set for the Protocol to enter into force. With the US declaring that it will not ratify the Kyoto Protocol, ratification by Russia was inevitable for the Protocol to survive and Moscow has been under tremendous international pressure to do so. With a large coal-based economy in Russia, President Putin had been reluctant to ratify the Kyoto Protocol. That was why earlier in 2994, Mr. Andrei Illarinov, the Russian President's economic advisor called the Kyoto Protocol an "undeclared (economic) war against Russia". There have been reports that the European Union was putting pressure on Russia to ratify the Kyoto Protocol before Russia could join the WTO. According to a Reuters report around the middle of 2004, President Putin had said that Moscow would move to ratify the Kyoto Protocol after an agreement with the EU on Russia's entry into the WTO. A Russian research group called "Russia and Kyoto Protocol" went on record that Russia can benefit from the Kyoto Protocol only if it was guaranteed sales of 100-130 million tones of CO_2 at a price of not less than US$ 40 per tonne in the emissions trading market. The current head of the UN Environmental Program, Mr. Klaus Topfer, a former Minister of Environment from Germany who has been in the forefront of global climate change negotiations expressed the view earlier in 2004 that that there were clear indications that Russia was serious about the ratification. Clearly, Moscow was under pressure from the EU and others to ratify the Protocol. (See Table 7 for a summary of the recent developments in connection with the Russian ratification).

In the last week of September 2004 the Russian Cabinet decided to initiate action to send the Kyoto Protocol to the Duma for ratification. Mr. Andrei Illarionov commented that Russia would ratify the Kyoto Protocol as a "gesture towards EU" but denied that this had anything to do with Russia's entry into the WTO but was only to boost Russia's "image abroad". The Duma, the lower house of the Russian Parliament approved the ratification of the Kyoto Protocol by a huge majority (334/73) during the fourth week of October 2004. The UN Secretary General has received on November 18, 2004 the Russian Federation's instrument of ratification and the Protocol will enter into force on February 16, 2004 (i.e. 90 days from November 18, 2004) with the US staying out of it.

Several questions arise out of the latest sudden decision of Russia to ratify the Kyoto Protocol and its timing. Has there been any deal made between Russia and the EU on Russia's entry into the WTO before Russia decided to ratify the Protocol and if so what is the nature of that deal? Has any behind-the-scene understanding been arrived at about selling CERs from Russia in the Emissions Trading market at a prefixed price? If so, how will this affect the CDM market? Is the timing of the somewhat sudden Russian decision to ratify the Kyoto Protocol - as a "gesture towards EU" and to boost its "image abroad", as claimed by Moscow, but presumably under coercion by the EU which was not very keen to see President Bush coming back to the White House for a second term - so close to the US Presidential election aimed at making the US look more "isolated" among the

international community on the climate front? Answers to these intriguing questions will be difficult to come to light. In any case, climate-related issues did not figure significantly in the recently held US Presidential election, although the Democratic contestant, Senator John Kerry tried more than once to bring the issue to focus during the election campaign. With President Bush's reelection, it is certain that the US will continue to remain outside the purview of international climate change negotiations under the auspices of the Kyoto Protocol.

MARKET MECHANISMS UNDER THE KYOTO PROTOCOL

The Kyoto Protocol has established policies and mechanisms to reduce GHG emission, including phasing out subsidy in energy intensive technologies, encouraging adoption of alternative environment-friendly technologies, taxing GHG emission etc. Obviously there will be considerable financial and political cost in meeting the GHG emission reduction targets of the Annex I countries set by the Kyoto Protocol. From the developed countries point of view, attempts to reduce the GHG emission within their own national boundaries will be very expensive and this may also have a negative impact on the high standard of living of their citizens.

The Protocol established three major market mechanisms to help the Annex I countries meet their GHG emission reduction targets cost effectively[14]. They are Emissions Trading (ET, Article 17), Joint Implementation of emission reduction (JI, Article 6) and the Clean Development Mechanism (CDM, Article 12). An Annex I country can purchase assigned amount units (AAUs) on the basis of ET or emission reduction units (ERUs) on the basis of JI projects from another Annex I country. Thus the first two mechanisms can be operated only among the Annex I countries.

The third mechanism, CDM encourages projects by Annex I countries (i.e., industrialized countries) in non-Annex I counties (i.e., the developing and the least developed counties) that do not have GHG emission reduction restrictions under the Protocol. The CDM aims at brining funding from Annex I countries for environment-friendly projects in the non-Annex I countries in the tropics and subtropics (Article 12) that will earn the Annex I country what is called Certified Emission Reduction (CER) credits that can be used by the investing Annex I country to partially offset its Kyoto targets (Article 12.3(a)). One CER is taken as one tonne of CO_2 (or its equivalent in the case of the other GHGs) that is prevented from releasing into the atmosphere (emission reduction) or removed from the atmosphere (sequestration) as a result of the CDM project over and above (additionality) the emission reduction/sequestration that would have occurred in the absence of the project (business-as-usual scenario). Several analyses show that given the small marginal costs of projects implemented in developing countries under the CDM, this will be the preferred market instrument unlike JI or IET which can be operated only between developed Annex I countries[13].

CDM is a unique mechanism to address global climate change at the non-Annex I market place. Some of the salient features and criteria for CDM are given in Table 8. Obviously, CDM makes good economic as well as environment sense. For the developed countries it will be more economical for them to invest in a developing country and obtain CERs rather than limit their own GHG emissions within their national boundaries, which can be more expensive and politically less palatable than buying CERs from a non Annex I country. The developing countries are exempted form GHG emission reduction during the first commitment period of the Protocol and thus the Kyoto Protocol does not hinder further industrialization of developing countries. Thus the CDM addresses global environmental concerns by providing an economic opportunity for the developing countries to attract funds for climate-friendly projects and the developed countries an opportunity to meet their Kyoto compliance cost effectively. The short-term developmental needs of

the non Annex I country and the short-term Kyoto compliance requirement of Annex I country are simultaneously addressed by CDM.

CDM has received several criticisms as well. The most poignant among them is that the CDM gives the rich industrialized countries a cheap option to buy GHG emission rights from the poorer countries and thus can continue with their current domestic GHG emissions or even increase emissions *in lieu of* procuring more CERs from a cheap CDM market in the non Annex I countries[15]. But it may be noted that Articles 17, 6.1(d) and 12.3(b) of the Protocol fix restrictions on the extent of use of the flexible market mechanisms to meet Annex I QELRCs. CERs can be used only in part to meet the QELRCs and supplementary to domestic actions by the Annex I countries to meet their Kyoto compliance (supplimentarity).

The social, economic and environmental benefits of CDM for the non-Annex I country far outweigh its deficiencies. Some of the earlier apprehensions about the IPCC strategies being unfair to the south[16-18] are effectively addressed in the CDM philosophy (Table 9). The Kyoto Protocol has been fair to the developing and the least developed countries by not fixing GHG emission reduction targets, which was sternly opposed by the US. The potential financial benefits the CDM projects can bring into the non Annex I countries (North-South flow of funds) for implementing GHG mitigation projects could be significant without which many non-Annex I countries would not be in a position to implement such climate-friendly projects[19] which are also in tune with the sustainable developmental needs of the non-Annex I countries. The significance this holds for non Annex I countries such as India, China, Brazil etc. that have a huge population and are fast developing economies - and therefore, by default, would emit huge amounts of GHGs - can not be overlooked. Attracting some of the CDM funds into agriculture, commercial plantation and forestry sectors in these countries would help in strengthening their rural economies while limiting their own net GHG emissions. If the Protocol in future caps the non-Annex I countries with GHG emission reduction targets, then the presently perceived advantages vis-à-vis CER trading could become a matter of disadvantage.

CDM AND THE COMMERCIAL PLANTATION AND FORESTRY SECTORS

Deforestation, the second major cause of GHG accumulation in the atmosphere, next to fossil fuel combustion, has been responsible for 20-25% of global anthropogenic GHG emissions during the 1990s[20]. Recognizing the importance of carbon sequestration in combating global climate change[7,21-25], sink activities such as afforestation and reforestation projects were included in the Kyoto Protocol as a means of meeting the GHG emission reduction targets by the Annex I countries. Removal by sinks (Article 3.3) including agricultural soils, land use change and forestry (Articles 3.4 and 3.7) have been identified in the Kyoto Protocol as potential mitigation options. Sinks are various forms of stocks of carbon in aquatic or terrestrial ecosystems such as undersea coral reefs, terrestrial and aquatic living organisms, soils etc. These stocks of carbon, unlike the inorganic CO_2 gas in the atmosphere do not have any adverse effect on climate. Net removal of atmospheric CO_2 by sinks through "land use, land use change and forestry" (LULUCF) activities including "aforestation, reforestration and deforestation" initiated since 1990 and are " direct human induced" are eligible sink enhancement activities for JI (Article 6.1(b)). But there is no explicit reference in the Protocol to sink projects for the CDM. There are several issues about sink projects, especially biomass projects (eg. permanence, methodology, additionality, leakages etc.) that still remain unclear. An analysis of various sink activities to meet the Kyoto commitments and the advantages of including sink projects under the CDM and the practical difficulties in carbon accounting in international carbon sequestration projects are discussed elsewhere[26-28].

The Bonn agreement (July 2001) favorably considered including sink enhancement

activities under the CDM under Articles 3.3 and 3.4 of the Protocol. The Marrakech Accords (November 2001) set the framework for approving modalities and methodologies for CDM projects, which included only GHG emission reduction projects and no carbon sequestration/sink projects were included. CoP-9 to the UNFCCC held in Milan during December 2003 has agreed to include afforestation/reforestation projects under CDM. The CDM Executive Board has now finalized the modalities and procedures (Article 5.2) for including carbon sinks from afforestation/reforestation activities under the CDM of the Kyoto Protocol. Clearly, this has profound implications for the forestry and other commercial plantation sectors in India. Although plantation activities have not been directly mentioned in the decisions of CoP-9, they are eligible for CDM funding if they meet the general requirements as applicable to the aforestation and reforestation projects and other conditions stipulated for CDM such as sustainable development objectives in the host country in the Annex I block. While CDM in itself will be economically a more attractive Kyoto compliance option for the Annex I party than either JI or ET, afforestation/ reforestation sink projects would create cheaper CERs than other CDM projects.

Studies conducted at the Rubber Research Institute of India and other rubber growing countries show that the carbon sequestration capacity of the natural rubber plantations is very high[29-31]. The carbon sequestration capacity of various native forest ecosystems have been well studied including those of tropical Amazon[23,32-37], northern latitude ecosystems such as temperate and boreal forests[38-43], savannas[44-46], artic tundras[47] etc. But only scanty data is currently available on the carbon sequestration rates of commercial plantation species such as *Eucalyptus*, teak, sal etc. in the non-Annex I countries.

Between June 2003 to January 2004 the price of CER in the EU Emission Trading Scheme (ETS), a parallel carbon market for the EU which is linked to the Kyoto mechanism, increased from about 7 Euro/T CO_2 to about 13 Euro/T CO_2. But in the CDM market the price was notably low, less than US $ 5/T CO_2. Even at this modest price, rubber plantations have a potential worth of US $ 120-170/ha/yr in the CDM market[30]. It has been estimated that from the total area of 0.5 million hectare of natural rubber cultivated in India, there will be enough CERs to meet just under 10% of the combined demand for CERs by Japan and EU to meet their Kyoto targets. Just like any tradable commodity, virtual trading of CERs is also open to market forces. If more and more buyers of CERs come to the market, naturally the price of CERs will go up. As it is now certain that the Kyoto Protocol will enter into force with Russia ratifying the pact, it is expected that the price of CERs will substantially increase as the first commitment period of the Protocol (2008-2012) approaches when the demand for CERs would also go up.

Without the US with as much as 36% of the total Annex I GHG emission (Table 2), the scope of the market mechanisms established under the Protocol will remain rather small. Various models have predicted that the non ratification of the Kyoto Protocol by the US would reduce the demand for GHG emission reduction in the carbon market by 60-74% and accordingly, the price of emission credits will also be small[13].

The CDM market potential of CERs from the forestry/commercial plantations can be realsied only if the Designated National Authorities (DNA) in the Annex I countries include specific forestry/plantation projects under the CDM. In the case of India, the DNA is headed by the Ministry of Environment and Forests. CDM is as much about economics and environment (and, unfortunately politics too) as it is about livelihood means and sustainable socio-economic development in the developing and the least developed countries in the non Annex I block. The immediate and direct beneficiaries of many commercial plantations and forestry projects in the country are mostly poor peasants who are scattered in the remote landscapes of India. Therefore, any carbon abatement project in the forestry/commercial plantations sectors under the CDM will be compatible

with the socio economic and ecological criteria set out under the CDM for sustainable development in the Annex I countries in the tropics and sub-tropics (Article 12.2).

PROCESSING AND PRODUCT MANUFACTURING SECTORS

Any activity that results in a reduction in the emission of GHGs into the atmosphere is eligible for CDM funding, subject to certain conditions. Many activities related to primary processing of plantation produces and product manufacturing can qualify for funding under the CDM. Production of biogas from processing effluents from commercial plantations (eg. natural rubber latex processing effluents), production of bio-diesel from seeds of species such as Jetropha, natural rubber etc., use of biomass-based gasifiers and solar thermal system for generating energy are eligible for CDM funding. Among the renewable energy sources such as solar, wind and hydel projects, biomass energy is gaining more importance given the advances made in the gasification technology[48]. Growing energy plantations in degraded ecosystems for the purpose of producing biomass for gasifier-based power generation in rural areas[49], as successfully demonstrated in Karnataka[50] is an excellent opportunity to tap CDM funds. There are several non-Annex I countries like India with vast areas of wastelands and large sections of the rural population that do not have access to assured power supply. In such countries, the wastelands could be converted into energy plantations for the production of biomass for gasifiers or vegetable oil from plants such as Jetropha, natural rubber etc. that can yield bio-diesel. Both the production of biomass and generation of energy using biomass gasification are inherently climate-friendly technologies that can attract CDM funding. Use of plantation wood such as rubber wood in place of various forest timbers also may qualify for CDM funding

Use of alternative/ renewable energy (eg. biomass gasifiers, biogas, bio-diesel etc.) in the rural agriculture sector (eg. for pumping irrigation water, operating agricultural machinery, running flourmills etc.) displaces fossil-based fuels, which amounts to indirect sequestration of CO_2 and therefore qualifies for CDM funding. It may be noted that fossil carbon is perhaps the best form in which atmospheric CO_2 can be sequestered and put away permanently without interfering with the world's climate system. But it is unrealistic to expect to achieve this in reasonable time. Hence leaving the fossil stock untouched is the best strategy and therefore any project that will utilize energy or a product from a renewable, non-fossil carbon source such as energy plantations, instead of from fossil fuel is eligible for CDM funding. In this context,, using natural rubber to substitute synthetic rubbers (produced from petroleum stocks), rubberized bitumen for roads etc. would also qualify for CDM.

Any technological innovation in the primary processing and product manufacturing in the commercial plantations and forestry sectors that improves the energy use efficiency over the existing level is eligible for CDM funding. The small amounts of CERs from the various plantation and forestry-related processing and industrial units in the country can be pooled and traded in the international CDM market. Opportunities may be present in the case of commercial plantations such as rubber, cocoa, coffee, tea, cardamom, etc. and forestry plantations such as eucalyptus, sal, teak etc. for obtaining CERs through the efficient use of fossil energy, waste management and use of renewable energy for the primary processing or value addition of these commodities.

CONCLUSIONS

The object of this article is to introduce to policy makers working in the various commercial plantation and forestry projects of India the possibility of developing CDM sink projects under LULUCF (afforestation/reforestation) under the Kyoto Protocol. There are many uncertainties and hurdles still existing in this regard. Adoption of appropriate methodologies by the CDM Executive Board for determining the baseline, additionality

etc. from afforestation/reforestation projects and approval by Indian DNA (headed by the Ministry of Environment and Forests, Government of India) to include commercial plantations under the aforestation/reforestation projects for CDM are only two of them. It is important that all the concerned stakeholders in the forestry and commercial plantation agriculture, primary processing and product manufacturing sectors work in co-ordination to attract the benefits of carbon trading under the CDM of the Kyoto Protocol into the forestry and commercial plantation sectors in the country. Business opportunities apart, environmental concerns must be addressed by the international community for the survival and well being of human kind in a sustainable manner. CDM offers a mechanism to achieve the same and all sectors of the forestry and commercial plantation industry in the country can potentially benefit from it if concerted and timely efforts are taken. In order to achieve this end, the carbon sequestration potentials of various Indian forestry and commercial plantation species need to be worked out on a priority basis. The modalities and procedures that are developed by the CDM Executive Board for afforestation/ reforestation sink projects need to be taken note of. Apart from the sinks per se, there are several other areas such as primary processing, value addition and product manufacturing that can qualify for CDM in the various plantations sectors such as natural rubber, cocoa, coffee, tea and commercial plantations such as eucalyptus, pine etc.

End Notes

** Rubber Research Institute of India, Rubber Board, Kottayam 686 009, Kerala, India.

1. IPCC., *Climate Change 2001: The Scientific Basis*, Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change (ed. Houghton, J. *et al*). Cambridge University Press, Cambridge, UK, 2001

2. GISS Available from www.giss.nasa.gov , 2004.

3. Malhman, J. D. Uncertainties in projections of human-caused climate warming. . *Science.*, 1997, 278: 1416-1417.

4. Raven, P.H. and Berg, L. R., In *Environment.* Harcourt College Publishers, London, 2001.

5. IPCC., Land Use, Land-Use Change and Forestry, In *Special Report of the Intergovernmental Panel on Climate Change*, (ed.Watson, R, Noble,I, Bolin, B, Ravindranath, N, Verardo D and Dokken D) ,Cambridge, UK, Cambridge University Press. 2000.

6. Prentice, I., Farquhar, G.D., Fasham, M., Goulden, M. and Heinman, M., The carbon cycle and atmospheric carbon dioxide. *In Climate Change 2001: The Scientific Basis. Contributions of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change*, (ed. Houghton, J., Ding, Y., Griggs, D.J., Noguer, M., Van der Linden, P.J.). Cambridge University Press. Cambridge, UK, 2001, pp 183-238.

7. Dixon, R.K., Brown, S., Houghton, R.A., Solomon, A.M., Trexler, M.C. and Wisniewskwi, J., Carbon pools and flux of global forest ecosystems. *Science.*, 1994, 263: 185-190.

8. Watson, R.T., Noble, I.R., Bolin,B., Ravindranath, N.H., Verado, D.J., Dokken, D.J., Land Use, Land-Use Change and Forestry, Special Report of the Intergovernmental Panel on Climate Change, Cambridge University Press, Cambridge, UK.2000

9. Cochrane, M., Alencar, A., Schulze, M., Souza, C., Nepstad, D.C., Lefebvre, P., Davidson, E.A., Positive feedback in the fire dynamic of closed canopy tropical forests. *Science.*, 2000, 284: 1832-1835.

10. Brown, 1988

11. Malhi, Y. and Grace, J., Tropical forests and atmosphere carbon dioxide. *Trends eco.evol.* 2000, 15, 332-337.

12. UNFCCC. Available from www.unfccc.int ,1992.

13. Brander L., 'The Kyoto mechanisms and the economics of their design' In *Climate Change and the Kyoto Protocol. The role of institutions and instruments to control global climate*, (eds Michael Faure, Joyeeta Gupta and Andries Nentjes), Cheltenham, UK.2003

14. UNFCCC. *Kyoto Protocol to the United Nations Framework Convention of Climate change*, New York, NY, United Nations. Also available from www.unfccc.int, 1997

15. Agarwal, A. and Narian, S., Addressing the challenge of climate change: Equity, sustainability and economic effectiveness: How poor nations can help save the world. New Delhi, India: Center for Science and Environment. 1999.

16. Parikh, J., IPCC response strategies unfair to the south. *Nature*, 1992, 360, 507-508.

17. Parikh, J., North-South issues for climate change. *Economics and Political Weekly*, 1994, 29,2940-2943.

18. Parikh, J., North-South cooperation in climate change through joint implementation (JI). *International Environmental Affairs*, 1995, 7(1): 22-43.

19. Beg, N., Morlot, J.C., Davidson,O., Aframe-Okesse, Y., Tyani, L., Denton, F. . Linkage between climate change and sustainable development. *Climate Policy*, 2002, 2,129-144.

20. Pandey, D.N., Global climate change and carbon management in multifunctional forests. *Curr. Sci.*, 2002, 83: 593-602.

21. Cao, M. and Woodward, F.I., Dynamic responses of terrestrial ecosystem cycling to global climate change. *Nature., 1998,* 393, 249-252.

22. Clark, D.A., Brown, S., Kicklighter, D.W., Chambers, J.Q., Thomlinson, J.R., Ni, J. and Holland, E.A., Net primary productivity in tropical forests: an evaluation and synthesis of existing field data. *Ecological Applications*, 2001,11, 371-384.

23. Keller, M., Effects of forests in the Amazone region on the Global Carbon Budjet: Early results from the large space biosphere atmosphere experiments in Amazonia. In *Tropical ecosystems: Structure, Diversity, and Human Welfare. Proceedings of the International Conference on Tropical Ecosystems.* (eds K.N.Ganeshaiah, K.N.,. Uma Shaanker, R and K.S. Bawa K.S.) Published by Oxford-IBH, New Delhi, 2001, pp. 3-6.

24. Melillo, J.M., McGuire, A.D., Kicklighter, D.W., Moore, III, B., Vorosmarty, C. J. and Schloss, A. L., Global climate change and terrestrial net primary production. *Nature.*, 1993, 363, 234-240.

25. Tans, P.P. and White, J. W. C., In balance with a little help from the plants. *Science.*, 1998, 281, 183-184.

26. Missfeldt, F. and Haites, E., The potential contribution of sinks to meeting Kyoto Protocol col commitments. *Environmental Science and Policy*, 2001, 4:269-292.

27. Anderson, K. and Richards, K.R., Implementing and international carbon sequestration programme: can the leaky sink be fixed. *Climate Policy.*, 2001,1, 173-188.

28. Schlamadinger, B., Grubb, M., Azar, C., Bauen, A and Berndes, G., Carbon sinks and the CDM: could a bioenergy linkage offer a constructive compromise. *Climate Policy /*, 2001, 1, 411-417.

29. Jacob, J., Carbon sequestration capacity of natural rubber plantations. Paper presented at the International Rubber Research and Development Board Symposium on "Challenges for natural rubber in globalization", Thailand, 2003, September 15-17.

30. Jacob, J. and Mathew, N.M., Eco-friendly NR plantations can tap vast global funding. *Rubber Asia*, 2004, March- April .

31. Sivakumaran, S., Kheong, Y.F, Hasan, J. and Rahman, W.A., Carbon sequestration in rubber: implications and economic models to fund continued cultivation. Proceedings of the Indonesian Rubber Conference and IRRDB symposium 2000, Bogor, Indonesia, September 12-14.

32. Chambers, J.Q., Higuchi, N.,Tribuzy,E.S. and Trumbore, S.E., Sink for a century: Carbon Sequestration in the Amazon. *Nature*, 1995

33. Grace, J., Lloyd, J., Mcintyre,J., Miranda, A.C., Meir,P., Miranda, H.C.,Nobre, C.,Moncreiff, J.,Massheder,J., Malhi,Y.,Wright,I. And Gash, J. (1995): Carbon di oxide uptake by an undisturbed tropical rain forests in Southwest Amazonia.1992 to 1993. *Science.*, 1995, 270, 778-780

34. Houghton, R.A., Skole, D.L., Nobre, C.A., Hackler, J.L.Lawrence, K.T. and Chomentowski, 'ski, W.H., Annual fluxes of carbon from deforestation and regrowth in Brazilian Amazon. *Nature .*, 2000, 403, 301-304.

35. Malhi, y., Phillips, O. and Grace, J., Are Amazonian rain forests absorbing carbon and

increasing in biomass? A comparison of evidence and insights from measurements of carbon dioxide fluxes and forest biomass change. In *Tropical ecosystems: Structure, Diversity, and Human Welfare. Proceedings of the International Conference on Tropical Ecosystems*. (eds Ganeshaiah, K.N. Uma Shaanker, R and K.S. Bawa, K.S) Published by Oxford-IBH, New Delhi, 2001, pp.27-28.

36. Phillips, O.L.,Malhi, Y., Higuchi, N.,Laurance, W.F., Nunez, P.V., Vasquez, R.m., Laurance, S.G., Ferreira, L.V., Stern, M. Brown, S.and Grace, J., Changes in the carbon balance of tropical forests: Evidence from long term plots. *Science.*, 1998, 282, 439-442

37. Tian, H., Melillo,J.M., Kicklighter, D. W.,McGuire,A.D., Helfrich III, J.V.K., Moore III, B. and Vorosmarty, C.J., Effects of interannual climate variability on carbon storage in Amazonian ecosystems. *Nature.*, 1998, 396, 664-666.

38. Ciais,P., Tans, P.P., Trolier, M., White, J. W.C.and Francey, R.J., A large northern hemisphere terrestrial carbon dioxide sink indicated by $^{13}C/^{12}C$ratio of atmospheric CO_2. *Science* ., 1995, 269, 1098-1102.

39. Goulden, M.L., Wofsy, S.C., Harden, J.W., Trumbore, S.E., Crill, P.M., Gower, S.T., fries, T., s, T., Daube, B. C., Fan, S. M., Sutton, D.J., Bazzaz, F.A. and munger, J. W., Sensitivity of boreal forest carbon balance to soil thaw. ., 1998, 279: 214-217

40. Nadelhoffer, K.J., Emmet, B.A., Gundersen, P., Kjonaas, O.J. Koopmans, C.J., Schleppi, P., Tietema, A. and Wright, R. F., Nitrogen deposition makes a minor contribution to carbon sequestration in temperate forests. *Nature.*, 1999, 398, 145-148.

41. Myneni, R.B., Keeling, C.D., Tucker, C. J., Asrar, G. and Nemani, R.R., Increased plant growth in the northern high latitudes from 1981 to 1991. *Nature* ., 1997, 386, 698-702.

42. Fan, S., Gloor, M., Mahlman, J., Pacala, S., Sarmiento, J., Takahashi, T. and Tans, P., A large terrestrial carbon sink in North America implied by atmospheric and oceanic carbon dioxide data and modela. *Science.*, 1998, 42

43. Wofsy, S.C., Goulden, M.L., Munger, J.W., Fan, S.M., Bakwin, P.S., Daube, B. C., Bassow, S. L. and Bassaz, F.A., Net exchange of CO_2 in a mid-lattitude forest. *Science.*, 1993, 260, 1314-1317.

44. Fisher, M., Rao, I.m.,Ayarza, M.A., Lascano, C.E., Sanz, J.I., Thomas, R.J. and Vera, RR., Carbon storage by introduced deep- rootrd grasses in the South American Savannas. *Nature*, 1994,371,236-238

45. San-Jose, J.J. and Montes, R.A., Evaluation of land use effects on carbon stocks and fluxes across the Orinnoco Ilalose. In *Tropical ecosystems: Structure, Diversity, and Human Welfare. Proceedings of the International Conference on Tropical Ecosystems*. (eds Ganeshaiah, K.N. Uma Shaanker, R and K.S. Bawa K.S) Published by Oxford-IBH, New Delhi, 2001, pp.15-19

46. Scurlock, J.M.O. and hall , D.o.(1998): The global carbon sink: a grassland perspective. Global change Biology, 4:229-233.

47. Oechel,W.C., Hastings .S,J., Vourlitis, G., Jenkins, M., Riechers, G. and grulke, N., Recent changes in artic tundra ecosystems from a net carbon dioxide sink to a source. *Nature.*, 1993,361,520-523.

48. Dasappa, S., Paul, P.J., Mukunda, H.S., Rajan, N.K.S, Sridhar, G. and Sridhar, H.V., Biomass gasification technology – a route to meet energy needs. *Curr. Sci.*,2004, 87(7), 908-916.

49. Vasudevan, P., Sharma, S. and Madan, M., Social upliftment through bio-energy plantations and employment generation. In *bio-energy for rural energization: Proceedings of the National Bio-energy Convention-95 on bio-energy for rural energization organized by Energy Society of India, December 14-15, 1995, New Delhi* (Eds. Maheswari, R.C and P. Chaturvedi ,P), 1997.

50. Ravindranath, N.H., Somashekar, H.I., Dasappa, S. and Reddy, J.C.N., Sustainable biomass power for rural India: Case study of biomass gasifier for village electrification. *Curr. Sci.*, 2004,. 87(7), 932-941.

51. Bolin B., The Kyoto negotiations and climate change: A Science perspective. *Science.*, 1998, 279,330-31.

52. IGES (2004). In CDM and JI in Charts. Published by Institute for Global Environmnetal Strategies, Ministry of Environmnet, Japan. Pp.3.

53. Streck, C., New Partnership in Global Environmental Policy: The Clean Development Mechanism. *Journal of Environment & Development*, 2004,13 (3), 295-322.

54. UNFCCC. Available from www.unfccc.int , 2001.
55. UNFCCC. Available from www.unfccc.int ,2002.

Table 1. Mean global temperature, 1970 to 1998[2]

Year	Temp °C	Year	Temp °C	Year	Temp °C
1970	14.02	1980	14.18	1990	14.40
1971	13.93	1981	14.30	1991	14.36
1972	140.1	1982	14.09	1992	14.11
1973	14.11	1983	14.28	1993	14.12
1974	13.92	1984	14.13	1994	14.21
1975	13.94	1985	14.10	1995	14.38
1976	13.81	1986	14.16	1996	14.32
1977	14.11	1987	14.28	1997	14.40
1978	14.04	1988	14.32	1998	14.57
1979	14.08	1989	14.24		

Table 2. Per capita CO2 emission in a few Annex I (identified by *) and non-Annex I countries (MT C/head) during 1996 (Raven and Berg 2001) and total CO2 emission during 1990 and the quantified emissions limitation and reduction commitments (QELRCs) set under the Kyoto Protocol for selected Annex I countries [14,51]

Country	Per capita CO_2 emission (MT C/head)	Total CO_2 Emission (Gg)	Percentage of the total Annex I emission	QELRCs (% below the base period)
*USA	5.3	4957022	36.1	7
*Russian Federation	2.9	2388720	17.4	0
*Japan	2.5	1173360	8.5	6
*Germany	2.8	1012443	7.4	21
*UK	2.6	584078	4.3	12.5
*Canada	3.8	457441	3.3	6
*Italy	na	428941	3.1	6.5
*Poland	na	414930	3.0	6
*France	1.7	366536	2.7	0
South Korea	2.4	-	-	not applicable
China	0.7	-	-	"
Brazil	0.4	-	-	"
India	0.3	-	-	"
Nigeria	0.1	-	-	"

Table 3: Per capita commercial energy consumption (Gigajoules/head) in a few Annex I (identified by *) and non-Annex I countries, 1997 [4]

Country	Per capita energy consumption (GJ/head)
*Canada	400
*USA	350
Mexico	62
Egypt	28
India	13
Nigeria	8

Table 4. Annual per capita meat consumption in a few countries (Kg/head/year)[4]

Country	Kg/head/year
India	3.4
China	42
Italy	80
USA	123

Table 5. Percentage of world commercial energy production from various sources, 1997[4]

Source	Percentage of the total energy generated
Oil	39
Coal	24
Natural Gas	22
Hydroelectric	7
Nuclear	6
Alternatives	<1

Table 6. Major milestones in international climate change negotiations leading to the inclusion of sink projects under the CDM and the Kyoto Protocol's entry into force.

Year/ Event	Importance / Remarks
1985: Vienna Convention for the Protection of the Ozone Layer	To protect human health and environment by promoting research on the effects of ozone layer changes.
1987: Montreal Protocol	To phase out CFC's and other ozone depleting substances
1988: Establishment of Intergovernmental Panel on Climate Change (IPCC)	To look into issues related to the causes and preventive measures for global climate change.
May 1992: International negotiators agree in New York on the United Nations Framework Convention on Climate Change (UNFCCC) June 1992: UNFCCC signed at the Earth Submit on Rio de Janeiro March 1994: UNFCCC enters into force	Aims at "stabilization of green house gas concentration in the atmosphere at a level that would prevent dangerous anthropogenic interference with the climate".
1997: CoP3 adopts the Kyoto Protocol	Providing legally binding GHG emission reduction targets for rich industrialized countries and exempting the developing and the least developed countries from any emission reduction targets.
November1998: CoP4 Adopts the Buenos Aires Plan of Action (BAPA)	To strengthen UNFCCC and prepare for Kyoto Protocol's entry into force.
November 2000: CoP 6 The Hauge	Conference suspended due to serious disagreements over a range of issues, especially between the EU and the US.
March 2001	US pulls out the Kyoto Protocol. Future of the climate pact in doubt.
May 2001	EU asserts at the highest political level its intention to ratify the protocol with or without the US.
July 2001: Suspended CoP6 reconvenes at Bonn	Arrives at a political agreement on the core issues of BAPA. The Bonn agreement favorably considered including sink enhancement activities under the CDM.
October/November 2001: Co7 Marrakesh (Morocco) adopts the Marakkesh Accords	Adopted the document required to make the CDM operational and set the framework for approval of methodologies for CDM projects. No specific mention about sink projects.
April 2002: EU ratifies Kyoto Protocol September 2002: Poland and Russia declare their intentions to ratify the Protocol at the Johannesburg World Summit on Sustainable Development.	Gave new hope of the Protocol surviving. But with the US out of the treaty, ratification by Russia inevitable.
October/November 2002: CoP8 New Delhi	No specific mention about sink projects.
December 2003: CoP9 Milan	Afforestation /reforestation projects (sink projects) brought under the CDM. The CDM Executive Board asked to prepare the methodologies for afforestation / reforestation projects for CDM to be taken up for approval at CoP 10, December Buenos Aires.
October 2004: Russia ratifies Kyoto Protocol	The critical mass required for the climate pact to enter into force achieved.

Table 7. The Russian ratification of the Kyoto Protocol – a quick overview of recent events.

Year	Events/Remarks
September 2002 Johannesburg World Summit on Sustainable Development.	Russia declares its intention to ratify the Protocol, but conflicting signals come from Moscow later.
2003	Andrei Illarinov, Economic Advisor to Russian President states that the Kyoto Protocol is an "undeclared (economic) war against Russia".
2003/early 2004	Reports of the EU putting pressure on Russia to ratify the Kyoto Protocol before Russia can join WTO.
Mid 2004	Reuters reports that Russia will ratify the Kyoto Protocol after arriving at an agreement with the EU on Russia's entry into WTO. Mr. Klaus Topfer, head of UNEP comments that Russia is "serious" about ratifying the Protocol.
2004	A Russian research group called "Russia and Kyoto Protocol" announces that Russia should ratify the Protocol only if sale of 100-130 mt CO_2 at a price not less than US$ 40/t is assured.
Last week of September 2004	1. Illarinov goes on record that Russia will ratify the Protocol as a "gesture towards the EU" but denies that this has anything to do with Russia's entry into WTO, but only to boost Russia's "image abroad". 2. The Russian Cabinet decides to forward the Kyoto Protocol to the Duma, the lower house of the Russian Parliament for ratification.
First week of October 2004 Fourth week of October 2004 First week of November 2004 November 18, 2004 February 16, 2005	Russian Prime Minister signs the government order approving the Protocol and sends the same to President Putin for submitting to the Duma. Duma approves the Kyoto Protocol with an overwhelming majority (334/73). President Putin signs the document finalizing the procedure of Russia ratifying the Kyoto Protocol. The critical mass required for the Protocol to enter into force achieved. (covering 61.6% of the CO_2 emissions from Annex I countries as of 1990, comfortably crossing the 55% mark set by the Kyoto Protocol). UN Secretary General receives the Russian Federation's instrument of ratification. Kyoto Protocol enters into force (90 days after receiving the Russia's instrument of ratification).

Table 8. Some of the salient features and socio economic criteria for CDM projects [53-55]

1.	CDM creates a global market for GHG emission rights based on voluntary co-operation between Annex I and non-Annex I countries and project participants.
2.	Enables flow of funds in the North-South direction (ie. from the industrialized Annex I countries to less developed non - Annex I countries).
3.	Addressing environmental concerns through the marketplace, CDM is unique international market mechanism that reduces cost of Kyoto compliance by Annex I countries and brings into non Annex I countries financial resources for climate-friendly projects.
4.	The only international market mechanism established under the Kyoto Protocol by which the developing and the least developed countries can benefit.
5.	Creates a platform for public and private parties to implement GHG mitigation provisions of the Kyoto Protocol
6.	Helps developing countries in achieving sustainable development and thus contributing to the objectives of UNFCCC.
7.	The CDM project should result in a real, measurable and long-term benefit to the community and environment.
8.	Maximum project duration of a CDM project is 21 years.
9.	The principal authority over the CDM is vested with the Conference of Parties to UNFCCC and Meeting of Parties to the Kyoto Protocol
10.	Designated Operational Entities (DOEs) validate the projects, verify the emission reduction and give certification of the GHG reduction to the CDM Executive Board.
11.	CDM Executive Board supervises the project, approves the methodology, establishes CER and issues CERs.
12.	The CERs obtained through CDM project should be a measure of GHG emission reduction that is additional to any that would occur in the absence of the project (business-as-usual scenario).
13.	Designated National Authority (DNA) of the participating countries issue letters of approval on behalf of participating parties.
14.	Buyer and seller of CERs should be parties to the Kyoto Protocol or participants in countries that are party to the Kyoto Protocol.
15.	CDM project should not result in gender, social, environmental, economic or land use conflicts in the host country.

* * * * * * *